AUTHOR INDEX

ABONINA, I.F., *see* Brondz, B.D.
ACTION, R.T., *see* Bodowle, B.
ADINOLFI, M., *see* Polani, P.E.
AHMED, A., *see* Skelly, R.R.
AIHARA, Y., SAKATA, S., NAKAMURA, S., KAMIKUBO, K., TARUTINI, O., YAMADA, S., TADOKORO, I. & OKUDA, K. Genetic control of mouse antibody production to human thyroglobulin 325
AIZAWA, M. *see* Natori, T.
ALTON, A.K. *see* Cheng, C.C.
AMOS, D.B. *see* Tonkonogy, S.L.
ANGELISOVÁ, D.P. *see* Hilgert, I.
ARTZT, K., *see* Cheng, C.C.
ATASSI, M.Z. *see* Young, C.R.

BABISH, J.G., *see* Wassom, D.L.
BALLINARI, D., PIEROTTI, M. A., LUISA SENSI, M. & PARMIANI, G. Lack of *H-2L*^{d} locus products on a BALB/c fibrosarcoma expressing H-2^k-like antigens 115
BALNER, H. *see* Giphart, M.J.
BANTING, G., *see* Daniels, G.L.
BARGER, B.O., *see* Budowle, B.
BARRIE, E.K., FRASER, R.H., MUNRO, A.C., WILLIAMSON, A.R., HAMILTON, E.A. & MITCHELL, R. Monoclonal anti-B produced by the immunization of mice with soluble salivary glycoproteins 41
BAUR, M.P., *see* Betrams, J.
BAZIN, H., PLATTEAU, B., KINTS, J.P., MALACHE, J.-M. & PAUWELS, R. Genetic regulation of immunoglobulin synthesis: selection of two rats' lines with respectively a high or low IgM serum level 293
BEHN, A.R., *see* Demaine, A.G.
BENDER, K., BISSBORT, S., MAYEROVÁ, G., MAUF, G. & WIENKER, T.F. *C6* linkage studies 61
BENNETT, D., *see* Cheng, C.C.
BERTRAMS, J., SCHOEPS, L., BAUR, M.P., LUBOLDT, W. & VAN LOGHEM, E. IgG and IgA heavy chain allotypes in Type 1 diabetes 305
BISSBORT, S., *see* Bender, K.
BLANDOVA, Z.K., *see* Brondz, B.D.
BONNER, J.J. & TYAN, M.L. Map of major histocompatibility complex subregions influencing vaginal septa frequency 413
BRAY, K.R., *see* Skelly, R.R.
BRONDZ, B.D., ZAICEVA, M.B., ABRONINA, I.F. & BLANDOVA, Z.K. Inactivation of specific anti-H-2 suppressor T cells by antisera to *I-J* and *I-C* subregion products of the *H-2* complex 425
BROOKS, B.O., *see* Wassom, D.L.

BUDOWLE, B., ROSEMAN, J.M., GO, R.C.P., LOUV, W., BARGER, B.O. & ACTION, R.T. Phenotypes of the fourth complement component (C4) in black Americans from the southeastern United States 199

CAVELIER, B., *see* Helal, A.N.
CHAABANI, H., *see* Helal, A.N.
CHENG, C.C., SEGE, K., ALTON, A.K., BENNETT, D. & ARTZT, K. Characterization of an antigen present on testicular cells and preimplantation embryos whose expression is modified by the t^{12} haplotype 465
CHIBANI, J., *see* Helal, A.N.
COLOMBO, M.P., RODOLFO, M. & PARMIANI, G. H-2K restriction of a chemically-induced BALB/c fibrosarcoma 337
COLOMBO, M.P., *see* Nanni, P.
CONTE, R., LAURIA, F. & ZUCCHELLI, P. HLA in familial Hodgkin's disease 251
CRAMER, D.V., *see* Gill III, T.J.

D'AMARO, J., *see* Giphart, M.J.
DANIELS, G.L., BANTING, G. & GOODFELLOW, P. A monoclonal antibody related to the human blood group Gerbich 103
DANIELS, G.L. & KNOWLES, R.W. Further analysis of the monoclonal antibody H8 demonstrating a JMH-related specificity 257
DAVEAU, M., *see* Salier, J.-P.
DAVID, C.S., *see* Wassom, D.L.
DAVRINCHE, C., *see* Helal, A.N.
DE GIOVANNI, C., *see* Nanni, P.
DEMAINE, A.G., VAUGHAN, R.W., BEHN, A.R., MYLES, A.B., PAYANI, G.S. & WELSH, K.I. Immunoglobulin (Gm) allotype frequencies in patients with giant cell arteritis and polymyalgia rheumatica 343
DE VRIES, R.R.P., *see* Van Eden, W.
DOINEL, C., *see* Rouger, Ph.
DUMONT, F., *see* Skelly, R.R.

EDELMAN, L., *see* Rouger, Ph.
ELFERINK, D., *see* Van Eden, W.

FORNI, G., GIOVARELLI, M., SARZOTTI, M. & WHITMORE, A.C. Rous sarcoma virus-induced tumours in mice II. Contribution of H-2 and non-H-2 alloantigen barriers to tumours immunogenicity *in vivo* 209
FRASER, R.H., *see* Barrie, E.K.
FUJIMOTO, Y., *see* Natori, T.
FUNDENBER, H.H., *see* Salier, J.-P.
FURUKAWA, K., *see* Yazawa, S.

GEBRIEL, G.M. & NORDSKOG, A.W. Genetic linkage of subgroup C rous sarcoma virus-induced tumour expression in chickens to the *IR-GAT* locus of the B complex 231
GERRETS, R., *see* Giphart, M.J.
GERSHWIN, M.E., *see* Skelly, R.R.
GILL III, T.J., CRAMER, D.V., KUNZ, H.W. & MISRA, D.N. Structure and function of the major histocompatibility complex of the rat 261
GILL III, T.J., *see* Misra, D.N.
GIOVARELLI, M., *see* Forni, G.
GIPHART, M.J. & D'AMARO, J. HLA and reproduction? 25
GIPHART, M.J., MOROLLI, B., VREESWIJK, W. VAN, GERRETS, R. & BALNER, H. The major histocompatibility complex of Rhesus monkeys, RhLA: XV. Chemical characterizations of DR locus antigens and antigen 48 45
GO, R.C.P., *see* Budowle, B.
GOETZ, J., *see* Helal, A.N.
GOLMARD, J.L., *see* Yovinov, P.
GOODFELLOW, P., *see* Daniels, G.L.
GOUST, J.-M., *see* Salier, J.-P.
GRUBB, R., *see* Smith, C.I.E.

HAMMARSTRÖM, L., *see* Smith, C.I.E.
HAUPTMANN, G., *see* Helal, A.N.
HELAL, A.N., LEFRANC, G., HAUPTMANN, G., GOETZ, J., TONGIO, M-M., DAVRINCHE, C., RIVAT, C., CAVELIER, B., CHIBANI, J. & CHAABANI, H. *HLA A**, *B*-BF** and *C4A**, *B** allele associations, with special reference to *BF**SO7 in the Tunisian population 205
HILGERT, I., KRIŠTOFOVÁ, H., ANGELISOVÁ, D.P., KINSKÝ, T. & HOŘEJŠÍ, V. Adult transplantation tolerance induced by lentil lectin—III. Induction of transplantation tolerance by lentil lectin in mouse strain combinations with different H-2 disparities: tolerogenic effect of H-2D region antigens 127
HOŘEJŠÍ, V., *see* Hilgert, I.

INOMATA, T., *see* Natori, T.
ISHIDA. Y., *see* Natori, T.
ISHIGATSUBO, Y., *see* Matsunaga, K.
IWAKO, T., *see* Matsunaga, K.

JUSZECZAK, G., *see* Rouger, Ph.

KAMIKUBO, K., *see* Aihara, Y.
KASAHARA, M., *see* Natori, T.
KATOH, K., *see* Matsunaga, K.
KINSKÝ, R., *see* Hilgert, I.
KINTS, J.P., *see* Bazin, H.

KNOWLES, R.W., *see* Daniels, G.L.
KRIŠTOFOVÁ, H., *see* Hilgert, I.
KUNZ, H.W., *see* Gill III, T.J.
see Misra, D.N.

LAURENT, M.R. & WELSH, K.I. Genetic markers in rheumatological diseases 275
LAURIA, F., *see* Conte, R.
LEDFORD, B.E., *see* Warr, G. W.
LEE, H., *see* Rouger, Ph.
LEFRANC, G., *see* Helal, A.N.
LE MENN, G., *see* Youinov, P.
LINK, H., *see* Salier, J.-P.
LOGHEM, E. VAN, *see* Bertrams, J.
LOLLINI, P.-L., *see* Nanni, P.
LOUV, W., *see* Budowle, B.
LUBOLDT, W., *see* Bertrams, J.
LUISA SENSI, M., *see* Ballinari, D.

MCKENZIE, I.F.G., *see* Sparrow, R.L.
MALACHE, J.-M., *see* Bazin, H.
MATELL, G., *see* Smith, C.I.E.
MATSUNAGA, K., TANI, K., KATOH, K., ISHIGATSUBO, Y., IWAKU, T., TADOKORO, I. & OKUDA, K. Genetic control of PQ prolongation of the electrocardiogram in the mouse immunized with the killed group A streptococci 31
MARCHALONIS, J.J., *see* Warr, G.W.
MAUF, G., *see* Bender, K.
MAYEROVÁ, G., *see* Bender, K.
MISRA, D.N., KUNZ, H.W. & GILL III, T.J. Immunochemical evidence for multiple class I antigens coded by the MHC of the rat (RT 1) and their differential expression on red blood cells and lymphocytes 379
MISRA, D.N., *see* Gill III, T.J.
MITCHELL, G.F. Murine cutaneous leishmaniasis: resistance in reconstituted nude mice and several F_1 hybrids infected with *Leishmania tropica major* 395
MOROLLI, B., *see* Giphart, M.J.
MORRISON, D.C., *see* Skelly, R.R.
MUNRO, A.C., *see* Barrie, E.K.
MUSENBECK, P., *see* Skelly, R.R.
MYLES, A.B., *see* Demaine, A.G.

NAKAMURA, S., *see* Aihara, Y.
NANNI, P., COLOMBO, M.P., DE GIOVANNI, C., LOLLINI, P.-L., NICOLETTI, G., PARMIANI, G. & PRODI, G. Impaired H-2 expression in B16 melanoma variants 361
NATORI, T., OHHASHI, T., INOMATA, T., FUJIMOTO, Y., ISHIDA, Y., KASAHARA, M. & AIZAWA, M. Immunochemical evidence for multiple β units of the class II molecule in the rat 439

NICOLETTI, G., *see* Nanni, P.
NORDSKOG, A.W., *see* Gebrel, G.M.

OHHASHI, T., *see* Natori, T.
OKUDA, K., *see* Ainara, Y.
see Matsunaga, K.
OMOTO, K., *see* Tokunaga, K.
OSIPOVA. L.P. & SUKERNIK, R.I. Immunoglobulin allotypes in aboriginal populations of the Taimar Peninsula 11

PANAYI, G.S., *see* Demaine, A.G.
PANDEY, J., *see* Salier, J.-P.
PARMIANI, G., *see* Ballinari, D.
see Colombo, M.P.
see Nanni, P.
PAUWELS, R., *see* Bazin, H.
PIEROTTI, M.A., *see* Ballinari, D.
PLATTEAU, B., *see* Bazin, H.
POLANI, P.E. & ADINOLFI, M. The H-4 antigen and its functions: a review and a hypothesis 85
PRODI, G., *see* Nanni, P.

RINCHIK, E.M., *see* Tonkonogy
RIVAT-PERAN, L., *see* Youinov, P.
RIVAT, C., *see* Helan, A.N.
RODOLFO, M., *see* Colombo, M.P.
ROSEMAN, J.M., *see* Budowle, B.
ROUGER, PH., LEE, H., JUSZCZAK, G., DOINEL, C. & EDELMAN, L. Murine monoclonal antibodies against Gerbich antigens 333
RUFFIE, J., *see* Youinov, P.

SALIER, J.-P., GOUST, J.-M., LINK, H., PANDEY, J.P., DAVEAU, M. & FUNDENBERG, H.H. Latent immunogloblin G(Gm) allotypes: occurrence in the cerebrospinal fluid in some neuropathological states 311
SAKATA, S., *see* Aihara, Y.
SALMON, C., *see* Youinov, P.
SALMON, D., *see* Youinov, P.
SARZOTTI, M., *see* Forni, G.
SCHOEPS, L., *see* Bertrams, J.
SCHMITZ, H.E., *see* Young, C.R.
SEGE, K., *see* Cheng, C.C.
SKELLY, R.R., AHMED, A., MUKENBECK, P. & MORRISON, D.C. Immune responses to hapten-lipopolysaccharide conjugates in mice 237
SKELLY, R.R., BRAY, K.R., GERSHWIN, M.E., DUMONT, F. & AHMED, A. Studies of congenitally immunologically mutant New Zealand mice VIII. Cell-surface phenotype of spleen cells of x^{id} and *nude* mice 221

SMITH., C.I.E., GRUBB, R., HAMMARSTRÖM, L. & MATELL, G. *Gm* allotypes in Swedish myasthenia gravis patients 1
SPARROW, R.L. & MCKENZIE, I.F.G. Human 'Ia' antigen populations defined by monoclonal antibodies 179
SUKERNIK, R.I., *see* Osipova, L.P.
SULLIVAN, T.T. & WARNER, C.M. Genetic control of the immune response to human adult haemoglobin (HGA_1) and sickle cell haemoglobin (HbS) 69

TADOKORO, I., *see* Aihara, Y.
see Matsunaga, K.
TANI, K., *see* Matsunaga, K.
TARUTANI, O., *see* Aihara, Y.
TOKUNAGA, K., YUKIYMA, Y. & OMOTO, K. Polymorphism of the complement component C6 in Japanese 419
TONGIO, M.-M., *see* Helal, A.N.
TONKONOGY, S.L., RINCHIK, E.M. & AMOS, D.B. Analysis of the B10.D2-H-2^{dm1} mutant with monoclonal antibodies 191
TYAN, M.L., *see* Bonner, J.J.

VAN EDEN, W., ELFERINK, D. & DE VRIES, R.R.P. An approach to study *in vitro* the expression of HLA-encoded genetic factor predisposing to tuberculoid leprosy 107
VASTA, G.R., *see* Warr, G.W.
VAUGHAN, R.W., *see* Demaine, A.G.
VREESWIJK, W. VAN, *see* Giphart, M.J.

WARNER, C.M., *see* Sullivan, T.T.
WARR, G.W., VASTA, G.R., LEDFORD, B.E. & MARCHALONIS, J.J. Evidence for the existence of a diverse family of immunoglobulin-related recognition molecules 17
WASSOM, D.L., BROOKS, B.O., BABISH, J.G. & DAVID, C.S. A gene mapping between the *S* and *D* regions of the *H-Z* complex influences resistance to *Trichinella spiralis* infections of mice 371
WELSH, K.I., *see* Demaine, A.G.
see Laurent, M.R.
WHITMORE, A.C., *see* Forni, G.
WIENKER, T.F., *see* Bender, K.

YAMADA, S., *see* Aihara, Y.
YAZAWA, S. & FURUKAWA, K. Immunochemical properties of human plasma $\alpha 1 \rightarrow 2$ fucosyltransferase specified by blood group H-gene 349
YOUINOV, P., GOLMARD, J.L., RIVAT-PERAN, L., SALMON, D., LE MENN, G., RUFFIE, J. & SALMON, C. The incidence of Gm and Km allotype in a group of Bretons, the Bigoudens 319

YOUNG, C.R. & ATASSI, M.Z. T-lymphocyte recognition of sperm-whale myoglobin. Recognition of synthetic peptides carrying antigenic site 5 by myoglobin-primed T-cells 139

YOUNG, C.R. & ATASSI, M.Z. T-lymphocyte recognition of sperm-whale myoglobin. Responses of T-cells from mouse strains primed with synthetic peptide carrying antigenic site 5 and relation to antigenic presentation 151

YOUNG, C.R. & ATASSI, M.Z. T-lymphocyte recognition of sperm-whale myoglobin. Specificity of T-cell recognition following neonatal tolerance with either myoglobin or synthetic peptides of an antigenic site 161

YOUNG, C.R., SCHMITZ, H.E. & ATASSI, M.Z. Genetic control of the immune response to myoglobin—XVI. Control of antibodies with preselected specificities following immunization with free synthetic peptides representing the antigenic sites or surface non-immunogenic locations in the protein 453

YUKIYMA, Y., *see* Tokunaga, K.

ZAICEVA, M.B., *see* Brondz, B.D.

ZUCHELLI, P., *see* Conte, R.